

The fastest way to collect trimmings in a 150 litres container

Industrial vacuum for the collection of plastic, paper or textile trims. Its suction power, its features and its size make it the right vacuum to operate in packaging areas.

The R 155 is equipped with a 1,1 kW threephase motor and a 150 litres container. It mounts a nylon filter, however specific filters for dust extraction are also available. The threephase suction unit is placed under the container, the liner is spread out and completely open and all product vacuumed is neatly compacted as it fills, optimising the container capacity.

- Small
- No maintenance needed
- Very low noise level
- Easy and quick disposal of waste material
- High capacity
- Quick visual level control: plexiglass port-hole in the lid
- Specific liner filter for fine dust available
- Stainless steel version



Picture shown may not represent model quoted

• Standard equipment

Model	R155 V	R155 X
Ref. no.	4031600027	4031600035

PRODUCT FEATURES

Filter bag	•	•
Stainless steel filter chamber		•
Switch motor protector	•	•
Inspection window	•	•
N°2 inlets		











Technical specifications	R155 V	R155 X
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	1.1	1.1
Airflow without hose (m³/h - l/m)	198 - 3300	198 - 3300
Max. vacuum (kPa - mbar)	21 - 210	21 - 210
Sound pressure level (dB(A))	72	72
Container capacity (l)	150	150
Main filter type	NYLON MOD. R560	NYLON MOD. R560
Main filter area (cm²)	14350	14350



The fastest way to collect trimmings in a 150 litres container













Technical specifications	R155 V	R155 X
Inlet (mm)	50	50
Length x width x height (mm)	660x660x1250	660x660x1250
Weight (kg)	47	47

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	R155 V	R155 X
Hose Vacuum Cleaner					
	50MM ANTI STATIC CUFF	Z7 20325	1	○	○
	COND. POLYURETH. HOSE D50 3M +SLEEVES	Z7 22369	1	○	○
	COND. POLYURETH. HOSE D50 5M +SLEEVES	Z7 22372	1	○	○
	COND. POLYURETH. HOSE D50 15M +SLEEVES	4072200478	1	○	○
	Flex Conductive Hose D50 30M COMPL ROLL	4072400234	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT5+ SLEEVES	Z7 22377	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	1	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○
	HOSE FDA D40 3M + SLEEVES	4072400334	1	○	○




The fastest way to collect trimmings in a 150 litres container

Accessories		Ref. no.	Min. required	R155 V	R155 X
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○
	HOSE FDA D40 10M + SLEEVES	4072400338	1	○	○
	HOSE FDA D50 3M + SLEEVES	4072400335	1	○	○
	HOSE FDA D50 5M + SLEEVES	4072400337	1	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○
	POLYURETHANE HOSE D50 3M +SLEEVES	Z7 22298	1	○	○
	POLYURETHANE HOSE D50 5M +SLEEVES	Z7 22366	1	○	○
	POLYURETHANE HOSE D50 15M +SLEEVES	4072200475	1	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○
Hose and Connection					
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○



The fastest way to collect trimmings in a 150 litres container

Accessories		Ref. no.	Min. required	R155 V	R155 X
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○

